

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Primary Color - Organic
PRODUCT CODE: 8P-10 - Violet Pigment

HMS CODES:

H F R P
1 0 0 X

=====SECTION I MANUFACTURING IDENTIFICATION=====

MANUFACTURER'S NAME: Refinish Coatings, LLC
ADDRESS: 28 Harrison Avenue - Bldg 4A, Englishtown, NJ 07726
EMERGENCY PHONE: (800) 424-9300 **INFORMATION PHONE:** 732-786-0100
DATE REVISED: 02/28/05 **NAME OF PREPARER:** Jeff Ochs

=====SECTION II HAZARDOUS INGREDIENTS & SARA III INFORMATION=====

HAZARDOUS COMPONENTS	CAS NUMBER	OCCUPATIONAL OSHA TWA	EXPOSURE LIMITS ACGIH TWA	VAPOR PRESSURE Mm HG @ TEMP	WEIGHT PERCENT
MORPHOLINE	110-91-8	20 PPM (SKIN)	20 PPM (SKIN)	7.0 20.0 C	0.7

NON - HAZARDOUS COMPONENTS

* INDICATES TOXIC CHEMICAL(S) SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III OF 40 CRF 372.

=====SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS =====

BOILING POINT: 190 F **SPECIFIC GRAVITY (H2O=1):** 1.1
VAPOR DENISTY: HEAVIER THAN AIR **EVAPORATION RATE:** SLOWER THAN ETHER
SOLUBILITY IN WATER: SOLUBLE
APPEARANCE AND ODOR: Reddish Blue in color

=====SECTION IV FIRE AND EXPLOSION HAZARD DATE=====

FLASH POINT: N/A **METHOD USED:** N/A
FLAMMABLE LIMITS IN AIR BY VOLUME: **LOWER:** N/A **UPPER:** N/A
EXTINGUISHING MEDIA: ALCOHOL FOAM, CO2, DRY CHEMICAL
SPECIAL FIREFIGHTING PROCEDURES: N/A
UNUSUAL FIRE AND EXPLOSION HAZARDS: N/A

MATERIAL SAFETY DATA SHEET

=====SECTION V REACTIVITY DATA=====

STABILITY:	STABLE
CONDITIONS TO AVOID:	FREEZING TEMPERATURES
INCOMPATIBILITY (MATERIALS TO AVOID):	N/A
HAZARADOUS DECOMPOSITION OR BYPRODUCTS:	N/A
HAZARDOUS POLYMERIZATION:	WILL NOT OCCUR

=====SECTION VI HEALTH HAZARD DATA=====

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE:

N/A

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE:

N/A

SKIN ABSORBTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE:

N/A

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE:

N/A

HEALTH HAZARDS (ACUTE AND CHRONIC):

N/A

CARCINOGENICITY: NTP? NO IARC MONOGRAPHS? NO OSHA REGULATED? NO

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: N/A

EMERGENCY FIRST-AID PROCEDURES:

FLUSH EYES WITH LARGE QUANITIES OF WATER FOR AT LEAST 15 MINUTES. WASH AFFECTED AREAS WITH MILD SOAP AND WATER. IF IRRITATION PERSISTS IN ANY ABOVE CASES, SEEK MEDICAL HELP.

=====SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE =====

STEPS TO BE TAKEB IN CASE MATERIAL IS RELEASED OR SPILLED:

N/A

WASTE DISPOSAL METHOD:

DISPOSE OF IN ACCORDANCE WITH LOCAL, COUNTY, STATE AND FEDERAL REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:

STORAGE TEMP. MAX. 122F. KEEP FROM FREEZING. KEEP CONTAINERS CLOSED WHEN NOT IN USE.

OTHER PRECUATIONS:

NO SPECIFIC TOXICITY DATA IS AVAIBLE FOR THE PRODUCT. THE EFFECTS OF OVER-EXPOSURE SHOWN IN SECTION VI ARE BASED ON INFORMAION ABOUT SIMILIAR PRODUCTS AND ON TOXICITY FILES FOR THE COMPOUNDS USED IN THE PRODUCT.

MATERIAL SAFETY DATA SHEET

=====SECTION VIII CONTROL MEASURES=====

RESPIRATORY PROTECTION:

N/A

VENTILATION:

N/A

PROTECTIVE GLOVES:

N/A

EYE PROTECTION:

N/A

OTHER PROTECTIVE CLOTHING OR EQUIPMENT:

EYEWASH FACILITY

WORK/HYGIENE PRACTICES:

USE PROPER INDUSTRIAL HYGIENE PRACTICES

=====SECTION IX DISCLAIMER=====

DISCLAIMER:

THE INFORMATION CONTAINED HEREIN IS BELIEVED TO BE ACCURATE AS OF THE DATE ISSUED.